



Kasarani Campus
Off Thika Road
P. O. Box 49274, 00101
NAIROBI
Westlands Campus
Pamstech House
Woodvale Grove
Tel. 4442212
Fax: 4444175

KIRIRI WOMENS' UNIVERSITY OF SCIENCE AND TECHNOLOGY
UNIVERSITY EXAMINATIONS, 2024/2025 ACADEMIC YEAR
FOURTH YEAR, FIRST SEMESTER EXAMINATION
FOR THE DEGREE OF BACHELOR OF EDUCATION (ARTS)

KMA 2417 TIME SERIES ANALYSIS

Date: 12TH AUGUST, 2024

Time: 8:30 AM – 10:30 AM

INSTRUCTIONS TO CANDIDATES

ANSWER QUESTION ONE (COMPULSORY) AND ANY OTHER TWO QUESTIONS

QUESTION ONE: COMPULSORY (30 MARKS)

- (a) Discuss four uses of time series analysis in statistics. **(4 Marks)**
- (b) Consider the AR(2) process and show that $X_t = 0.8X_{t-1} - 0.15X_{t-2} + e_t$ is weakly stationary **(6 Marks)**
- (c) Given the following observation of a time series for $n = 10$

t	1	2	3	4	5	6	7	8	9	10
X_t	47	64	23	71	38	64	55	41	59	48

Find

- i. Sample auto-covariance $r(1)$ and $r(2)$ **(5 Marks)**
- ii. Sample auto-correlation $p(1)$ and $p(2)$ **(5 Marks)**
- (d) Consider MA (2) process given by $Y_t = e_t - \frac{5}{10}e_{t-1} - \frac{4}{10}e_{t-2}$

Determine

- i. Whether the process is invertible **(3 Marks)**
- ii. The covariance generating function **(4 Marks)**
- iii. The autocorrelation function **(3 Marks)**

QUESTION TWO: (20 MARKS)

- a) Consider a set of independent and identically distributed random variable $\{e_t\}$ such that $E(e_t)$ is zero and variance of e_t is σ_e^2 . Let the process be given by $X_t = \phi e_{t-1} + e_t$ where ϕ is a constant.
- i) Find the $E(x_t x_{t+m})$ **(5 Marks)**
- ii) Show that X_t is weakly stationary. **(5 Marks)**
- b) Given $X_t = \theta X_{t-1} + e_t$
- i. Find the spectral density function of an AR (1) process **(5 Marks)**

- ii. Show that the spectral density function of an AR (1) process is given by **(5 Marks)**

$$f(\omega) = \frac{\sigma^2}{2\pi(1-2\theta\cos\omega+\sigma^2)}$$

NB: The standard spectral density function of the white noise is $f_e(\omega) = \frac{\sigma^2}{2\pi}$

QUESTION THREE: (20 MARKS)

- a) Discuss four components of a time series data. **(8 Marks)**

- b) Fit a local polynomial of degree 3 to 7 consecutive data points given the weight.

$$w = \frac{1}{21}(-2, 3, 6, 7, 6, 3, -2)$$

- i. Find derivatives with respect to parameters **(5 Marks)**
 ii. Fit a local polynomial and extract the coefficients **(7 Marks)**

QUESTION FOUR: (20 MARKS)

- a) Determine whether the process is invertible **(4 Marks)**

$$X_t = e_t + 0.7e_{t-1} - 0.2e_{t-2}$$

- b) Determine if the process $x_t = 1.5x_{t-1} - 0.5x_{t-2} + e_t$ is stationary **(4 Marks)**

- c) Find the covariance generating function of the MA (2) process given by

$$x_t = \frac{1}{3}e_{t-1} + \frac{1}{3}e_t + \frac{1}{3}e_{t+1} \quad \textbf{(6 Marks)}$$

Hence the autocorrelation function **(6 Marks)**

QUESTION FIVE: (20 MARKS)

- a) Consider the AR (2) process given by $x_t = \frac{4}{5}x_{t-1} - \frac{15}{100}x_{t-2} + e_t$. Show that x_t

- i. Is stationary **(5 Marks)**
 ii. Find its autocorrelation function. **(5 Marks)**

- b) Given the following observation of a time series for $n = 10$

t	1	2	3	4	5	6	7	8	9	10
X_t	0.812	1.657	2.537	3.431	4.329	5.254	6.174	7.104	8.044	8.956

Find;

- i. Sample auto-covariance $r(1)$ and $r(2)$ **(5 Marks)**
 ii. Sample auto-correlation $p(1)$ and $p(2)$ **(5 Marks)**

